



<u>When You Know</u>	<u>Multiply By</u>	<u>To Find</u>
Area		
Inches ²	6.45163	Centimeters ²
Centimeters ²	0.155	Inches ²
Feet ²	0.0929	Meters ²
Meters ²	10.76387	Feet ²
Yards ²	0.83613	Meters ²
Meters ²	1.19599	Yards ²
Length		
Inches	0.0254	Meters
Meters	39.37	Inches
Feet	0.3048	Meters
Meters	3.2808	Feet
Yards	0.9144	Meters
Meters	1.09361	Yards
Miles	1.609	Kilometers
Kilometers	0.621	Miles
Weight		
Ounces	28.35	Grams
Grams	0.033527	Ounces
Pounds	0.45359	Kilograms
Kilograms	2.20462	Pounds
Net Ton	0.90719	Metric Ton
Metric Ton	1.10231	Net Ton
Gross Ton	1.01605	Metric Ton
Metric Ton	0.98421	Gross Ton
Slope		
Inch/Floor	8.33	Slope (%)
Centimeters/Meter	8.33	Slope (%)
Volume		
Inches ³	0.016387	Liters
Liters	61.023	Inches ³
Feet ³	28.316	Liters
Liters	0.035317	Feet ³
Quarts	0.94636	Liters
Liters	1.05668	Quarts
Gallons	3.78543	Liters
Liters	0.26417	Gallons
Miscellaneous		
Pounds per liner inch	0.1752	Kilonewtons/m
Mega pascals	145.038	Lbs. per sq. in.
Pounds per gallon	119.7	Grams per liter

<u>When You Know</u>	<u>Multiply By</u>	<u>To Find</u>
Rate		
Gallons/100 ft ²	0.4075	Liters/m ²
Liters/m ²	2.45399	Gallons/100 ft ²
Pounds/ft ²	4.882	Kilograms/m ²
Kilograms/m ²	0.20483	Pounds/ft ²
Thickness		
Mil	25.4	Micron

How to Calculate Mil Thickness

Theoretical: 1 gallon of 100% solids material applied over 100 sq. ft. yields 16 dry mils.

$$\text{Dry Mil Thickness} = \frac{\text{Gallons per 100 sq.ft.} \times 16 \times \% \text{ Solids by Volume}}{100}$$

$$\text{Gallons per 100 sq. ft.} = \frac{\text{Dry Mil Thickness} \times 100}{16 \times \% \text{ Solids by Volume}}$$

Measures of Length

12 inches = 1 foot 1 sq. ft. = 144 sq. in.
 1 sq. yd. = 9 sq. ft. 1 sq. mile = 640 acres
 1 acre = 4840 sq. yd. = 43,560 sq. ft.
 100 mm² = 1 cm² 10,000 cm² = 1 m²

Measures of Weight

16 ounces = 1 pound 1000 grams = 1 kg
 2000 pounds = 1 net ton 1000 kg = 1 metric ton

Sealant Estimation

Linear feet per full gallon (231 cubic inch)

		Width of Joint						
		¼"	⅜"	½"	⅝"	¾"	⅞"	1"
Depth of Joint	¼"	308	205	154	123	102	88	77
	⅜"	205	136	102	82	68	58	51
	½"	154	102	77	61	51	44	38
	⅝"	123	82	61	49	41	35	30
	¾"	102	68	51	41	34	29	25
	⅞"	88	58	44	36	29	25	22
	1"	77	51	38	30	25	22	19

Coverages and yields shown do not include allowances for loss or waste and variations in job conditions. Each user must establish their own factors for loss from experience.

