

WARRANTY APPLICATION

This form is to be submitted to Polycoat Products upon completion of the project. For a Polycoat Products Warranty, all materials used must be manufactured by Polycoat Products.

Da	ate:						
Fil	e No.:						
Po	lycoat Products	Representative:					
Pr	oject Name:						
Pr	oject Start Date:	:					
Pr	oject Completio	n Date:					
W	arranty Period: _						
Po	lycoat Decking	System used:					
Caulking:				Amount used:			
Pr	imer:			Gallons used:			
Ba	se Coat:			Gallons used:			
Int	ermediate Coat	:		Gallons used:			
Fir	st Top Coat:		Gallons used:				
Second Top Coat (Color):				Gallons used:			
1.		ootage to be warranted: of \$150.00 will be charged		square jects less than 10,000 square feet.	feet.		
2.	Break the abov	Break the above square footage into the following:					
	A. Light to medium traffic:		square	feet (Foot traffic, parking stalls, etc.)			
	B. Heavy traffic:s		square feet (Norn	quare feet (Normal vehicular traffic, etc.)			
	C. High volume traffic:		square feet	t (Turn areas, etc.)			
3.	Substrate:	☐ Concrete	☐ Wood	☐ Existing Coating	g		
4.	If the substrate	e is concrete, what was the s	surface preparation?				

	Α.	Were all cracks and expansion joints detailed per Polycoat Products General Guid Data Sheets? No	delines and Tech	nical
	В.	Which primer was used?		
5.		he substrate is plywood, please answer the following: Is the plywood APA stamped?	☐ Yes	□ No
	В.	What is the plywood thickness?		
	C.	Was the plywood installed according to Polycoat Products General Guidelines?	☐ Yes	☐ No
	D.	Was the plywood properly spaced according to Polycoat Products General Guid ☐ Yes ☐ No	elines?	
	E.	Is the plywood free of grain checking, oils, old coatings or other contamination?	☐ Yes	☐ No
	F.	Are all the plywood joints properly sealed according to Polycoat Products general published Technical Data?	al Guidelines and Yes	d No
	G.	Were all plywood seams reinforced with Polycoat Products Straight Jacket or Podetailed according to Polycoat Products General Guidelines and Technical Data Yes No		d
	Н.	What type of slip resistant material was used:		
		Pounds per square foot:		
6.	Wa	as the Polycoat Products Coating System applied over existing coating?	☐ Yes	☐ No
	A.	Prior to coating the surface was a successful adhesion test completed over the easure the Polycoat Products Coating System was compatible with the existing of Yes No		0
		If yes, give data that test was complete and type of test performed:		
	В.	Is the pre-existing coating well adhered to the substrate?	☐ Yes	□No
	C.	Was the pre-existing coating cleaned prior to application?	☐ Yes	☐ No
	D.	Was substrate clean, dry and free of any loose coating prior to re-coating?	☐ Yes	☐ No
	E.	What primer was used:		
		At what rate was it applied:	square feet po	er gallon.
	F.	Was the primer used allowed to become tack free prior to coating?	☐ Yes	☐ No
	G.	Were all angles treated according to Polycoat Products General Guidelines and prior to coating the surface?	Technical Data	Sheets No

	H.	Was the Polycoat Products Coating System terminated in a manner that eliminates the possibility of water from another area that is not being waterproofed to migrate into the area being waterproofed? Yes No					
	I.	What type of s	slip resistant material was	used: _			
		Pounds per so	quare foot:				
7.	Wa	s a grid system	used to assure the proper	amount	of coating was being applied	?	☐ No
8.		Does the Polycoat Products Coating System terminate with natural termination(s) such as walls, expansion joints, control joints or keyways?					
9.	Describe in detail the locations and areas that the warranty is being requested for:						
Na	me c	of Project Owner	:		ntractor applying for the Poly		
Ма	iling	Address:					
Cit	y:			_ State:		_ Zip Code: _	
Tel	epho	one: ()		Fax Number: ()		
Na	me d	of Project:					
Str	eet /	Address:					
Ма	iling	Address:					
Cit	y:			_ State:		_ Zip Code: _	
Tel	leph	one: (Fax Number: ()		
Na	me d	of Applicator: _					
Str	eet A	Address:					
Ма	iling	Address:					
Cit	y:			_ State:		_ Zip Code: _	
Tel	epho	one: (Fax Number: ()		

Mail Warranty To:				
Street Address:				
Mailing Address:				
City:	State:		Zip Code	:
Telephone: ()		Fax Number: ()	
Material Purchased From:				
Street Address:				
Mailing Address:				
City:	State:		Zip Code	:
Telephone: ()		Fax Number: ()	
An authorized agent of Polyco cation is complete and was d written Guide Specifications. I were manufactured exclusivel Company Name	one in accordance with Po also declare the coating wa	lycoat Products Tech	nnical Data, Gene	ral Guidelines, and
Signature	Print Name	Title		Date
Distributor				
Signature	Print Name	Title	• • • • • • • • •	Date
	FOR OFFIC	E USE ONLY		
Technical Service Approval		Credit Department A	approval	
Warranty Certificate Number:			Date:	